

Содержание

<i>Настройка сервиса для обогащения справочника GUI СКАТ данными о базовых станциях из внешнего источника по API</i>	<i>3</i>
--	----------

Настройка сервиса для обогащения справочника GUI СКАТ данными о базовых станциях из внешнего источника по API

В случае отсутствия данных координат в справочнике для некоторых базовых станций предлагается использование **сервиса для обогащения справочника GUI СКАТ данными о базовых станциях из внешнего источника по API**.


Активация сервиса происходит добавлением в

```
/var/questor/backend/.env
```

Следующий параметров:

```
#Enables autoload of OpenCellID dictionaries
CELL_TOWER_AUTOLOAD_ENABLED=1
# 0 - Disabled (default)
# 1 - Enabled
#Token in OpenCellID platform
CELL_TOWER_LOADER_API_TOKEN=pk.fce9af82655c117ef42c88d36885cc8b
#Level of log
CELL_TOWER_LOG=1
# 0 - Info
# 1 - Debug
```

Получение токена осуществляется через портал <https://my.unwiredlabs.com/trial>. После регистрации токен будет доступен:



The screenshot shows the Unwired Labs Location API dashboard. The user is logged in as Vladislav. The dashboard includes a sidebar with navigation links: API Sandbox, Reports, Devices, Geolocation API, Maps, Account, Account details, API Access Tokens, and Logout. The main content area is titled "Manage your API Access Tokens" and contains a table with one token.

Label	Access Token	Created On	
Access Token 1	Show Token	26 August 2022 08:06 AM UTC	View Logs

При нажатии *Show token* появится бесплатный ключ с ограничением 100 запросов в день.