

Table of Contents

Пример конфигурации интерфейсов	3
--	-------	---

Пример конфигурации интерфейсов

```
fast-epdg {
    swu {
        <config-name> {
            apn=
                ike=aes256-sha256-sha1-prfsha256-prfsha1-modp2048-modp1024!
                esp=aes256-sha256-sha1-modp2048-modp1024!
            leftauth=eap
            leftsubnet=
            rightauth=eap-diameter
            rightsourceip=%epdg
        }
    }

    auth {
        interface =
        accounting =
        swm {
            app_id = swm
            realm =
            host =
            vendor_id =
            <server-name> {
                priority =
                local =
                remote =
                proto =
            }
        }
        swx {
            app_id = swx
            realm =
            host =
            vendor_id =
            <server-name> {
                priority =
                local =
                remote =
                proto =
            }
        }
        s6b {
            app_id = s6b
            realm =
            host =
            vendor_id =
            <server-name> {
                priority =
            }
        }
    }
}
```

```
        local =
        remote =
        proto =
    }
}

tunnel {
    iface =
    pdn =
    pgw {
        gtp {
            mcc =
            mnc =
            tac =
            cid =
            enbid =
            realm =
            <server-name> {
                apn =
                priority =
                devname =
                devmode =
                subnet =
                qos {
                    qci =
                    mbr_ul =
                    mbr_dl =
                    gbr_ul =
                    gbr_dl =
                }
                gtp-c {
                    local =
                    remote =
                }
                gtp-u {
                    local =
                    remote =
                }
            }
        }
    }
}

syslog {
    daemon {
        ike =
        cfg =
        lib =
    }
}
```

}