

Table of Contents

Пример конфигурации интерфейсов	3
---------------------------------------	---

Пример конфигурации интерфейсов

```
1. fast-epdg {
2.     swu {
3.         <config-name> {
4.             apn=
5.             ike=aes256-sha256-sha1-prfsha256-prfsha1-modp2048-modp1024!
6.             esp=aes256-sha256-sha1-modp2048-modp1024!
7.             leftauth=eap
8.             leftsubnet=
9.             rightauth=eap-diameter
10.            rightsourceip=%epdg
11.        }
12.    }
13.
14.    auth {
15.        interface =
16.        accounting =
17.        swm {
18.            app_id = swm
19.            realm =
20.            host =
21.            vendor_id =
22.            <server-name> {
23.                priority =
24.                local =
25.                remote =
26.                proto =
27.            }
28.        }
29.        swx {
30.            app_id = swx
31.            realm =
32.            host =
33.            vendor_id =
34.            <server-name> {
35.                priority =
36.                local =
37.                remote =
38.                proto =
39.            }
40.        }
41.        s6b {
42.            app_id = s6b
43.            realm =
44.            host =
45.            vendor_id =
46.            <server-name> {
```

```
47.         priority =
48.         local =
49.         remote =
50.         proto =
51.     }
52. }
53. }
54.
55. tunnel {
56.     iface =
57.     pdn =
58.     pgw {
59.         gtp {
60.             mcc =
61.             mnc =
62.             tac =
63.             cid =
64.             enbid =
65.             realm =
66.             <server-name> {
67.                 apn =
68.                 priority =
69.                 devname =
70.                 devmode =
71.                 subnet =
72.                 qos {
73.                     qci =
74.                     mbr_ul =
75.                     mbr_dl =
76.                     gbr_ul =
77.                     gbr_dl =
78.                 }
79.             } gtp-c {
80.                 local =
81.                 remote =
82.             }
83.             gtp-u {
84.                 local =
85.                 remote =
86.             }
87.         }
88.     }
89. }
90. }
91.
92. syslog {
93.     daemon {
94.         ike =
95.         cfg =
96.         lib =
97.     }
```

98. }

99. }