

Содержание

Version 7.0 Minsk	3
-------------------------	---

Version 7.0 Minsk

The main changes to the 7.0 version Minsk¹⁾

1. Initial [IPv6 support](#) (filtering, protocol recognition, metadata export, netflow v10 export)
2. New features [L2 BRAS](#) (VLAN/QinQ termination, DHCP relay, IP Source Guard) are added
3. [DHCP-Radius gateway](#), enabling to request DHCP settings through the Radius server without the DHCP server, is added
4. [Radius Accounting](#) is added
5. The GRE tunneling support via the built-in [NAT](#) (PPTP/GRE ALG) is added

Changes to the 7.1 version

1. Fragmented traffic detection and handling, including the http/https recognition feature are improved
2. Bugs in L3 BRAS and Radius CoA revealed at the software implementation are fixed
3. Bug in the database engine intended to handle bind_multi are fixed

Changes to the 7.2 version

1. The support of [NAT 1:1](#) is added
2. The support of [PPPoE termination](#) in L2 BRAS is added
3. Bugs in BRAS operation revealed at the software implementation are fixed

Changes to the 7.3 version

1. The memory consumption when using NAT is reduced
2. Improvements to the CGNAT are made
3. New configuration options [nat_exclude_private](#) and [nat_private_cidr](#) are added
4. The metadata export of http response

Changes to the 7.4 version

1. Bug revealed when using NAT service of higher (multi-cluster) versions is fixed
2. htb descriptors leakage in case of frequent policing changes regarding bind_multi subscribers
3. Revisions and additions to L2 BRAS operation по результатам внедрений

Изменения в версии 7.5

1. Service 12 - write the subscriber's traffic to a PCAP file
2. The possibility of applying the CoA using the Acct-Session-Id (is used when the Framed-IP-Address or User-Name aren't specified) is added
3. User-Name и VasExperts-NAT-IP attributes are added to accounting
4. Idle-Timeout support is added to all types of authentication
5. STUN signature is fixed
6. Metadata export for the OSCAR/ICQ protocol is fixed

In order to check the currently installed version enter the command

```
yum info fastdpi
```

Downgrade to 7.4 version:

```
yum downgrade fastdpi-7.4
```

After updating or downgrading, a service restart is required:

```
service fastdpi restart
```



Do not upgrade the Linux kernel. In the new version of kernel-2.6.32-431.29.2 or later, binary compatibility with Kernel ABI is broken and the network driver will not boot after the update. If you already have upgraded, then at the time of solving the problem, please configure the grub boot loader to load the previous kernel version (in the `/etc/grub.conf` file set `default=1`).

To check the changes in the [previous version](#).

¹⁾
Minsk is a hero-city, now represents an important role in the peace process, many of our good customers are from this fair city