

# Table of Contents

<i>File .env</i> .....	3
------------------------	---



## File .env



Watch a tutorial (english subs):  
[https://www.youtube.com/watch?v=KHqYpV3HXqU&feature=emb\\_logo](https://www.youtube.com/watch?v=KHqYpV3HXqU&feature=emb_logo)

Subsystem configuration is done by editing the .env file

```
/var/www/html/dpiui2/backed/.env
```

The file has the following content:

```
#System settings. It should remain unchanged.
APP_ENV=local
APP_DEBUG=true
APP_KEY=
APP_TIMEZONE=UTC

#Application URL. It is needed to form the correct link when sending QoE
reports to e-mail
APP_URL=https://localhost/

#System settings regarding connection to the MySQL DB, it should remain
unchanged
DB_CONNECTION=mysql
DB_HOST=localhost
DB_PORT=3306
DB_DATABASE=dpiui2
DB_USERNAME=root
DB_PASSWORD=vasexperts

#Settings regarding connection to the SMTP server. They are needed to send
email notifications.
CFG_SMTP_UNAME=dpiuitest@gmail.com
CFG_SMTP_PW=dpiuitestdpiuitest
CFG_SMTP_HOST=smtp.gmail.com
CFG_SMTP_PORT=587
#tls or ssl
CFG_SMTP_SECURE=tls

#Technical support address
CFG_SEND_ERROR_EMAIL=sd@vas.expert
#Address for sending of email copies
CFG_SEND_COPY_EMAIL=

#System settings, prohibited from changing
CACHE_DRIVER=file
QUEUE_DRIVER=database
SESSION_DRIVER=cookie
```

```
#Settings regarding connection to QoE Stor
QOESTOR_DB_HOST=localhost
QOESTOR_DB_PORT=8123
QOESTOR_DB_USER=default
QOESTOR_DB_PASS=' '
QOESTOR_DB_NAME=qoestor
QOESTOR_CACHE_LIFE_TIME_SEC=3600
QOESTOR_MAIN_LOG_PARTITIONS_LIFE_TIME_HOUR=24
QOESTOR_AGG_LOG_PARTITIONS_LIFE_TIME_DAYS=15

#Subscriber synchronization period in minutes (for the Subscribers and
Services and Advertising sections)
SM_SUBSCRIBERS_UPDATE_PERIOD_MINUTES=30

#Data cleanup period for charts in the Performance Section
CHART_DATA_DELETE_DAYS_INTERVAL=60

#CG-NAT profile and statistics synchronization period
CG_NAT_SYNC_MINUTES_INTERVAL=5

#XoCT Vas Cloud
VAS_CLOUD_HOST=5.200.37.122
```

If changes to .env have been made, you should run the following command:



```
dpiui2 queue:restart
```

<html><span style="font-size:0.7em">If the command is not found restart the ssh session in the terminal.</span ></html>