## Содержание

assifier model
----------------

## **Classifier model**

**Classifier model** - this section allows you to use the convenience of the graphical interface to access files on the server, works like a file manager.

To open the "Classifier Model" section, open the main menu, point to the "Classifier" item and click on the "Classifier Model" item. (fig. 1)



<html><center></html> (fig. 1) <html></center></html>

The section looks like the picture below. (fig. 2)

temple califor				
gen micoderinge	Патки	¢	ewiner c	Cigarpinine dallina 3
-duribaho	+	8		() Социнть
8	Magena Mana (Ka	-	Kopeta Bana dain	
	I I Orlank auto	Ċ		
	🗆 🛿 Delauit mail	0		
	B Delet millery	Ċ		
	C 8 Default ceganitatio	0 O		
	R Default school	0		
	C @ Delast solvare)	ob O		
	RI Default unknown	0		

<html><center></html> (fig. 2) <html></center></html>

The "Classifier Model" has sections:

- 1. Models (hidden by default, click on the inscription "Models" to open):
  - 1. Button "+" opens a form (fig. 3) for adding a model.
  - 2. Button "Duplicate model" opens a form (fig. 4) for duplicating a model.
  - 3. Button "Set model by default" opens the form (fig. 5) for setting the model by default.
  - 4. "Refresh" button refreshes the list of models.
  - 5. List of models.
- 2. Folders (Code):

- 1. Button "+" opens a form (fig. 6) for adding a folder (code).
- 2. "Refresh" button refreshes the list of folders (code) in the selected models.
- 3. List of folders (code) in the selected models.
- 3. Files:
  - 1. Button "+" opens a form (fig. 7) for adding a file.
  - 2. Button "Set folder" opens a form (fig. 8) for changing the model and folder for the selected files.
  - 3. "Delete" button deletes the selected sites.
  - 4. "Delete All" button deletes all sites in the selected categories.
  - 5. "Refresh" button refreshes the list of files in the selected folders.
  - 6. List of files in selected folders.
- 4. File contents:
  - 1. "Save" button saves changes in the selected file.
  - 2. The "Check" button performs a check and opens a form (fig. 9), which displays: the correctness of recognition in percent and the probable category in the "Category name (Code / Folder)" format for the content of the selected file.
  - 3. Button "Get" opens a form (Fig. 10) for receiving the text of the site by URL.
  - 4. "Refresh" button refreshes the content of the selected file.



<html><center></html> (fig. 3) <html></center></html>



<html><center></html> (fig. 4) <html></center></html>

Mo	дели		<	Папки		<
+	Ø	ش	e	+		ß
0	Модели	Модель *	Default			~
				Отменить	Сохранить	

<html><center></html> (fig. 5) <html></center></html>

Папки		<	Файлы
+ Модель	• Default		~
Назван	ие *		
-		Отменить	Сохранить

<html><center></html> (fig. 6) <html></center></html>

		Отменить	Сохра	нить	
	Название *				
0	Папка *	organizations		~	20K3/I
+	Модель *	Default		~	pai
Файл	Ы		<	Содержи	IMOE

<html><center></html> (fig. 7) <html></center></html>

Файлы				<	Содержимое файла	a
+	∎ Û	&		Ø	Сохранить	
🗘 Фай						іла
	Модель *	Default			~	
	Папка *	organizations			~	
_			Отменить		Сохранить	
				_	9	

<html><center></html> (fig. 8) <html></center></html>

Содержимое файла			>
🛙 Сохранить		🗸 Проверить 🌐 Получить	ø
Т Содержимое ф			
1 2 3 4	Вероятная категория *	коммерческие организации (organiza	tions
5 6 7 8	Корректность распознавания *	86%	
9 10 11 12		Ok	
15 14 15 16 17 18 19 20 21 22 23	Интернет, применении мероприятий (ОРМ). ИТ-услуг организс квалифи сетей ли безопаст является	политик тарифных планов и дополни УЗНАТЬ БОЛЬШЕ ХОТИТЕ УЗНА то и сервисов. Высококвалифицирован звать максимально эффективную ИТ-ин- сацией в разреботке и построении ко середачи данный, а также сетевых инф ости. ООО QTECH — россий в одним из ведущих системных интегр	тельны Ть БОЛ ные сп фрастр ммуник растру ский р аторов

<html><center></html> (fig. 9) <html></center></html>

Содержимое файла				>
🕅 Сохранить		🗸 Проверить	Получить	e
Т Содержимое файла	URL *	vasexperts.ru		
2 3 4 5		Отменить	Получил	ъ

<html><center></html> (fig. 10) <html></center></html>