Содержание

Classifier model

Classifier model - this section allows you to use the convenience of the graphical interface to access files on the server, works like a file manager.

To open the "Classifier Model" section, open the main menu, point to the "Classifier" item and click on the "Classifier Model" item.

2	CKAT DPI : Fastl	DP	I ~ ①	
க் Kater	 УПРАВЛЕНИЕ DPI УПРАВЛЕНИЕ УСЛУГАМИ 	, ,	СИФИКАТОР / МОДЕЛЬ КЛАССИ	рикатори
О Моде	 QOE АНАЛИТИКА СЕРВИСЫ VAS CLOUD 	;	Папон	< ع
📑 Конф 🏄 Логи	і≣ КЛАССИФИКАТОР 20 АДМИНИСТРАТОР	•	 КАТЕГОРИИ САЙТОВ МОДЕЛЬ КЛАССИФИКАТОРА) ^
	>_ SSH ТЕРМИНАЛ УСТРОЙСТВА	•	 конфигурация логи 	Ď

The section looks like the picture below.

	reprer califora	осичикатор / модель классичика	TOPY			
Image: non-state Image: non-state Image: non-state Image: non-state Imag	eru mecorderange	Патки	¢	Palna c	¢	Cigasponese dalina >
matrix matrix matrix matrix matrix matrix matrix 0 0 matrix matrix matrix matrix matrix 0 0 matrix matrix matrix matrix 0 0 matrix matrix matrix	brypsum	+	8) ⊕ Copeers → Rompers ⊕ Regions (
0 0 0 0		C Tanas				
0 0 statt mail 0 1 0 mailer 0						
10 80 0etatt opposite 0 10 80 0etatt opposite 0 10 80 0etatt opposite 0 11 12 opposite 0 0 12 12 opposite 0 0 13 12 opposite 0 0 14 12 opposite opposite 0 15 14 opposite 0 0		C 2 Orlect este	Ċ			
0 8 Select oppositions 0 0 82 Select software_took 0 0 82 Select software_took 0 1 82 Select software_took 0 1 82 Select software 0		E B Default mail	0			
Image: Select file Image: Select file Image: Select file		B Orleat millery	Ċ			
0 8 Select Select □ 8 Select Select file						
Image: Select file Select file						
		Li as Denaux Unknown	u			

The "Classifier Model" has sections:

- 1. Models (hidden by default, click on the inscription "Models" to open):
 - 1. Button "+" opens a form (fig. 3) for adding a model.
 - 2. Button "Duplicate model" opens a form (fig. 4) for duplicating a model.
 - 3. Button "Set model by default" opens the form (fig. 5) for setting the model by default.
 - 4. "Refresh" button refreshes the list of models.
 - 5. List of models.
- 2. Folders (Code):
 - 1. Button "+" opens a form (fig. 6) for adding a folder (code).
 - 2. "Refresh" button refreshes the list of folders (code) in the selected models.

3. List of folders (code) in the selected models.

3. Files:

- 1. Button "+" opens a form (fig. 7) for adding a file.
- 2. Button "Set folder" opens a form (fig. 8) for changing the model and folder for the selected files.
- 3. "Delete" button deletes the selected sites.
- 4. "Delete All" button deletes all sites in the selected categories.
- 5. "Refresh" button refreshes the list of files in the selected folders.
- 6. List of files in selected folders.
- 4. File contents:
 - 1. "Save" button saves changes in the selected file.
 - 2. The "Check" button performs a check and opens a form (fig. 9), which displays: the correctness of recognition in percent and the probable category in the "Category name (Code / Folder)" format for the content of the selected file.
 - 3. Button "Get" opens a form (Fig. 10) for receiving the text of the site by URL.
 - 4. "Refresh" button refreshes the content of the selected file.

Модели	< Na	пки
+ Название *		
0 N	Отменить	Сохранить

Mo,	дели		<	Папки	
+		0 👗	S	+	
0	Мод		Дублироват	ъ модель	
		Модель *	Default		~
		Имя дубликата *			
			Отмен	ить	Сохранить

Mo	дели		<	Папки	<
+	Ø	*	g	+	Ø
0	Модели Назван	Модель *	Default		~
				Отменить Сохранить	

Папк	и		<	Файлы
+ © 1	Модель * Название *	Default		~
			Отменить	Сохранить

Файл	ы		< Содержи	имое
+	Модель *	Default	~	ран
0 0	Папка *	organizations	~	хжи
_	Название *			
		Отменить	Сохранить	
			-	

Φa	йлы					<	Содержимое фай	іла
+			Û	&		e	🕅 Сохранить	
¢	Фай							ina
		Модель	*	Default			~	
		Папка *		organizations			~	
					Отменить		Сохранить	
							9	_

Содержимое файла				>
🛙 Сохранить		🗸 Проверить	Получить	ø
Т Содержимое ф				
1 2 3 4	Вероятная категория *	коммерческие орган	изации (organizat	ion:
1 2 3 4 5 6 7 8 9 10	Корректность распознавания *	86%		
9 10 11 12		Ok		
13 14 15 16 17 18 19 20 21 22 23	организс квалифия сетей пе безопасн	УЗНАТЬ БОЛЬШЕ	ХОТИТЕ УЗНАТ соквалифицировани фективную ИТ-инф и построении ком экже сетевых инфр Q QTECH — российс	ные сп растр муни астру кий р

🗑 Сохранить		🗸 Проверить	Получить
Т Содержимое файла			
1	URL *	vasexperts.ru	
3		Отменить	Получить