Table of Contents

9 Advertising control

This section appeared in version 2.1.0.

To switch to the section, open the menu SERVICES CONTROL and click ADV CONTROL.



The section looks like the figure below.



Advertisement campaign profiles

Here you can create profiles for combining several adv campaigns, as well as edit and delete them. The form for creating/editing advertising campaigns profiles is shown in the figure below.

\triangleleft	VAS Experts DPI	: miniDPI	~		
	🗐 DPI CONTROL 👻 📽 SI	ERV CES CONTR	OL 👻 🛃 QOE ANALYTICS		
= 왕	SERVICE MANAGEMENT / AD	ERTISING			
8	Selected DPI Group and campaigns				
\$	+ 🛨	<u>ی</u>	+ 🕑 🐵 🦻		
6 1	Groups		😴 Campaigns		
4.	Group		Campaign		
((•	Q Filter Profile edit		Q Filter		
	🖉 🗋 bbb	Û	🕑 🖉 Test		
	Title *				
	Test				
		Cancel	Save		

You can control advertising campaigns for only one selected device.

Advertisement campaigns

Here you can create advertising campaigns for the selected advertising campaign profile. Along with deleting, starting and stoping the previously created advertising campaigns.

The form allowing to create/edit an advertising campaign is shown in the figure below.

😭 Campaign settings			Campaign data			
Title *			+			
Test			Data name	Data type	Default value	
Responsible			param1	String	1	Û
John Smith		×		-		
Campaign period *						
06/30/2019 - 07/30/2019						
Time from *	Time to *					
00:00	23:59	0				
Days of the week *						
Mon, Tue, Wed, Thu, Fri, Sat, Sun		~				
Redirect URL *						
test.ru						
Campaign state						
Campaign is stopped (default)		~				
			Cano	el	Save	

The form allows you to fill in the following parameters:

- Campaign Name
- User responsible for the campaign
- Campaign Period
- Campaign time
- Days of the week
- Redirect URL
- Campaign status (It is stopped by default. In order to start a campaign, you should select the "Started" option in the form or use the start/stop buttons shown in the "Section" figure)
- Campaign data (campaign parameters) used to generate a redirection URL for subscribers added to the campaign

Subscribers of advertisement campaigns

Here you can manage the list of subscribers and the campaign parameters set for them (if they were added during the creation/editing of an advertising campaign) for the selected advertising campaign.

Adding/editing subscriber in advertising campaign

The form for editing the subscriber in advertising campaign is shown in the figure below.

C Futer	П	√ r itter	_
Subscriber *			In
192.168.1.123			In
param1			In
			C
	Cancel	Save	

The form allows you to fill in the following parameters:

- Subscriber login or subscriber IP address
- The values of the advertising campaign parameters for this subscriber (if they were added when creating/editing an advertising campaign). In case you leave these fields blank, the default values specified while creating/editing an advertising campaign will be set.

Importing the subscribers to the adv campaign from file

The form of importing subscribers to an advertising campaign from a file is shown in the figure below.

trag file b	Import from file Campaign lubscribers		< 4
	Click to d	ownload or drag a file	
Subscriber		param1 (String)	
Q, Filter		Q, Filter	
User1		1	Û
User2		2	Û
User3		1	Û
User4		1	^o
Userő	Data from file	1	Û
User6		1	Ô
Get template fo	r import		Click to import
			*

Before importing subscribers and their data into a campaign, it is recommended to download a template Excel file for this campaign (the download button is shown in the figure) in order to make sure that:

- The first column of the table is the name of the account (login) or the subscriber IP address
- The names of the parameters of the advertising campaign in the file matches to specified ones

in the campaign