

Содержание

Protocol groups	3
Setup	3
Step 1 – Creating a Group	3
Step 2 – Adding Protocols	4

Protocol groups

This option is used when you need to create a new group (e.g., from [custom protocols](#)) or modify the composition of protocols within a standard group. The names of standard groups can also be edited. All changes will be reflected throughout the interface, including in QoE reports.

Group code	Group name
Q_FILTER	Q_FILTER
4	Gaming
1000	Maps
1001	Test group

Protocol	Protocol type	Group	Company name
Q_FILTER	Q_FILTER	Q_FILTER	Q_FILTER

Protocol groups have the following identifiers:

- 1 to 32 are used for standard (cloud) groups
- 1000 and above — used for custom groups

Setup

Step 1 - Creating a Group

Go to VAS cloud services → Protocols groups and click the “+” button in the “Groups” column. You can either override a standard group or create a new one.

Groups



OVERRIDE CLOUD

CREATE A NEW GROUP



FILTER

1. For Cloud Groups:

- Select the desired group
- If needed, edit the group name
- Click “Save”

Cloud group *

1 Instant messengers

2 Name * English Instant messenger: +

Cancel 3 Save

2. For a Custom Group:


- Enter the group name
- Click “Save”

1 Name * English Test group +

Cancel 2 Save

Step 2 - Adding Protocols

Select the created group and click the “+” button in the “Protocols” column.
You can add both custom and built-in (cloud) protocols.



After selecting the protocol, click “Save”. The protocol will be added to the group. The created group will be available across all sections of the interface.