

# Содержание

<b>9 PCRF Policy Server .....</b>	3
<i>Hardware Recommendations .....</i>	3
<i>Installation .....</i>	3



# 9 PCRF Policy Server

PCRF provides proxying requests from fastDPI to the Radius server. It is a part of the standard VAS Experts DPI installation package, but if necessary, it can be used as a dedicated server.

## Hardware Recommendations

In order to run PCRF you can use the following hardware or virtual machines matching the following characteristics:

1. CPU 2.5 GHz, 1 pcs
2. RAM 512 MB - 1 GB
3. HDD 50 GB - 250 GB
4. Operating system Cent OS 6.4, 8+
5. NIC ranging from 10 Mb/s

## Installation

1. Install the Network Time Protocol daemon

```
yum install ntp -y  
ntpdate pool.ntp.org  
service ntpd start  
chkconfig ntpd on
```

2. Add vasexperts repository

```
rpm --import http://vasexperts.ru/centos/RPM-GPG-KEY-vasexperts.ru  
rpm -Uvh  
http://vasexperts.ru/centos/6/x86_64/vasexperts-repo-2-1.noarch.rpm
```

3. Install the fastPCRF

```
yum install fastpcrf
```

4. Make sure the service is running

```
service fastpcrf start
```

5. Configure fastpcrf service to run at startup

```
chkconfig fastpcrf on
```

6. Open firewall ports in order to access the fastDPI and Radius servers

```
vi /etc/sysconfig/iptables  
-A INPUT -m state --state NEW -m tcp -p tcp --dport 22 -j ACCEPT  
#Radius
```

```
-A INPUT -m state --state NEW -m udp -p udp --dport 1812 -j ACCEPT
-A INPUT -m state --state NEW -m udp -p udp --dport 1813 -j ACCEPT
-A INPUT -m state --state NEW -m udp -p udp --dport 3799 -j ACCEPT
#fastDPI
-A INPUT -m state --state NEW -m tcp -p tcp --dport 29002 -j ACCEPT
```

and restart firewall for the rules to take effect

```
service iptables restart
```

### 1. Disable selinux <sup>1)</sup>

```
setenforce 0
vi /etc/selinux/config
SELINUX=disabled
```

<sup>1)</sup>

temporary solution