Table of Contents

Changelog of SSG BETA-version	. 3
Changes in version 13.3 BETA1	. 3
Changes in version 13.3 BETA2	
Update instructions	. 3

Changelog of SSG BETA-version

Changes in version 13.3 BETA1

- 1. [DPI] New protocols added: BIGOTV [49305], SAYHI [49306], AZARLIVE [49307].
- 2. Added: hot parameter smartdrop = 1. If drop is set for the protocol, it will be deferred until the TLS is parsed or a TLS parsing error occurs.
- 3. Fixed: Adding HTTP domains ending with: (port number).
- 4. [Utils] Fixed: checkproto now considers MARK1 and checks if the port number is specified. For example, checkproto 8.8.8.8 443 www.google.com and checkproto 8.8.8.8 www.google.com may return different results.
- 5. Changed the path for loading ASNUM from VAS Cloud (cloud.vasexperts.ru).
- 6. Blacklist blocking in GTP tunnel (with the detect gtp tunnel setting).
- 7. Fixed: HTTPS blocking with the hard option.

Changes in version 13.3 BETA2

- 1. [DPI] Improved Viber recognition.
- 2. Support for reload of /etc/dpi/asnum6.bin.
- 3. [Utils] bin2as now accepts any number of input files as arguments.
- 4. [Utils] ascheckip accepts addresses for batch verification via stdin.
- 5. [Utils] bgp2bin works similarly to as2bin, but only accepts /24 or larger subnets. It recognizes the IP1-IP2 range format as in RIPE records (extracting /24 or larger subnets from it). Subsequent entries take precedence over previous ones, creating a slightly larger file than as2bin. However, in this file, subnet ranges do not overlap (as less prioritized entries are filtered out). This allows the utility to process data from multiple sources in order of priority.
- 6. [BRAS][PPP] Fixed: Heterogeneous dual-stack. One address (IPv4 or IPv6) is explicitly set, while the other (IPv6 or IPv4) is assigned via framed-pool.

Update instructions

You can check the current installed version with the command below

```
yum info fastdpi
```

If you have CentOS 6.x or CentOS 8.x installed, then switch the repository once with the command:

```
sed -i -e '/^mirrorlist=http:\/\//d' -e 's/^#
*baseurl=http:\/\/mirror.centos.org/baseurl=http:\/\/vault .centos.org/'
/etc/yum.repos.d/CentOS-*.repo
```

and then update as usual.

To install the test version, you should issue the following command:

```
yum --enablerepo vasexperts-beta update fastdpi
```

Downgrade to 13.1:

yum downgrade fastdpi-13.1 fastpcrf-13.1



After an update or version change, a restart of the service is required.