## **Table of Contents**

Support for subscribers with a sing	le IPv4 address and an IPv6 subnet binding or with	
dynamically assigned IP addresses		,

## Support for subscribers with a single IPv4 address and an IPv6 subnet binding or with dynamically assigned IP addresses

Service and channel management for subscribers with dynamically assigned IP address is performed by a codemane (LOGIN), which is specified in the control commands by corresponding --login long option. To support the DPI login binding feature you need to activate the UDR.

If the dynamic IP addresses assignment is performed by the Radius server, it is recommended to use the "Radius event monitor", which will automatically transmit to the dpi the information on the IP addresses being assigned and released. In this case, the User-Name attribute in the Radius requests is used as a login.

To integrate with other platforms, it is necessary to support the custom scripts triggered by the events of IP address assignment and releasing (for example, this feature is present in the standard dhcp linux server). In this case, the IP address and LOGIN binding as well as the deletion of the bind are performed using special commands.

IP address and LOGIN bind

```
fdpi_ctrl load --bind --user subscriber_name:ip_address
```

The example: fdpi\_ctrl load --bind --user test\_user:191.168.1.1 fdpi\_ctrl load --bind --user test\_user:2a00:0:0:7aac:c0ff:fea7:d4c/64

To delete the IP ↔ login bind

```
fdpi_ctrl del --bind --login subscriber_name
```

To list the binded subscriber IP address

```
fdpi_ctrl list --bind --login subscriber_name
```

To list all the subscribers having binded IP

```
fdpi_ctrl list all --bind
```

The next section discusses the binding of subscribers with an arbitrary IP addresses number. An important difference between bind semantics and bind\_multi one is: - load --bind replaces the address previously assigned to the subscriber, while load --bind\_multi adds it - load --bind automatically takes the assigned address from another subscriber - load --bind uses the database more efficiently