

Содержание

4 Named profiles 3

4 Named profiles

Named profile (NP) - you can name a rate plan (profile for policing) or profile for services and store it in a internal database the UDR. NP creates once then it is used for subscribers to set needed service parameters and rate plan limiters.

Named profiles has the following advantages over the nameless profiles:

1. Упрощает администрирование абонентов
2. Позволяет находить абонентов с требуемым профилем по имени профиля
3. Позволяет изменить профиль всем абонентам с заданным профилем просто изменив параметры профиля
4. Позволяет контролировать ограничение на количество уникальных профилей (максимум 65535)

Named profiles has the following advantages: - Simplifies administration of users - Allows you to find the subscribers with the required profile by profile name - Allows you to change the profile to all subscribers with a given named profile simply by changing the profile parameters - Allows you to control the restriction on the number of unique named profiles (up to 65535)

Unnamed profiles (without name) have the following advantages: - No need to have a deal with profile management (create and delete it), the profile is released together with the removal service or subscriber profile - No need to invent a profile name

Commands with a named profile for policing settings (rate plans)

Creating a rate plan with a named profile for multiple subscribers

```
fdpi_ctrl load profile --policing rate_10_day.cfg --profile.name rate_10
fdpi_ctrl load --policing --profile.name rate_10 --ip 192.168.0.1
fdpi_ctrl load --policing --profile.name rate_10 --ip 192.168.0.2
fdpi_ctrl load --policing --profile.name rate_10 --login kv_111
```

View policing settings (rate plan) by named profile

```
fdpi_ctrl list profile --policing --profile.name rate_10
```

Search subscribers by named profile of a rate plan

```
fdpi_ctrl list all --policing --profile.name rate_10
```

Delete named profile (The named profile has no subscribers using it to delete)

```
fdpi_ctrl del profile --policing --profile.name rate_10
```

Change settings for rate plan from dayly to night mode (new settings will apply to all subscribers with the named profile)

```
fdpi_ctrl load profile --policing rate_10_night.cfg --profile.name тариф_10
```

Commands for named profile with service settings (configuration parameters)



The profile name is unique for each service, ie profile_1 for service 6 differs from profile_1 for service 10

Create a named profile for subscriber notification and set a named profile for multiple users

```
fdpi_ctrl load profile --service 6 --profile.name ads_of_tv_world_football -  
-profile.json '{ "redirect" : "http://mysite.ru/landing_nash_football",  
"check" : true }'  
fdpi_ctrl load --service 6 --profile.name ads_of_tv_world_football --ip  
192.168.0.1  
fdpi_ctrl load --service 6 --profile.name ads_of_tv_world_football --ip  
192.168.0.2
```

Compare it with activation of the service with unnamed profile (service parameters are taken from the configuration file dpi)

```
fdpi_ctrl load --service 6 --ip 192.168.0.1  
fdpi_ctrl load --service 6 --profile.json '{ "redirect" :  
"http://mysite.ru/landing_nash_football", "check" : true }' --ip 192.168.0.2
```

Search subscribers with named profile for service 6

```
fdpi_ctrl list all --service 6 --profile.name ads_of_tv_world_football
```

Delete named profile (The named profile has no subscribers using it to delete)

```
fdpi_ctrl del profile --service 6 --profile.name ads_of_tv_world_football
```

Change setting named profile for service (new settings will apply to all subscribers with the named profile)

```
fdpi_ctrl load profile --service 6 --profile.name ads_of_tv_world_football -  
-profile.json '{ "redirect" : "http://mysite.ru/landing_nash_football",  
"check" : true }'
```