

# Содержание

Configuration .....	3
---------------------	---



# Configuration

The option is enabled by configuration parameter in `/etc/dpi/fastdpi.conf`:

```
ad_server=www.adserver.ru
```

Here `www.adserver.ru` is the name or the address of the new content server.

The list of URLs to replace is supplied as a text file. Each line of this file contains one URL (no `http://` prefix).

**Example:** the list to replace ad content Yandex Direct and Google AdWords:

```
pagead2.googlesyndication.com/pagead/show_ads.js  
an.yandex.ru/system/context.js
```

The list is converted into an internal format and placed to `/var/lib/dpi`. DPI platform loads it from the latest location:

```
cat my_ad_list.txt|url2dic my_ad_list.dic  
mv my_ad_list.dic /var/lib/dpi/adlist.bin
```



Advertisement blocking using `https/quick` protocols is carried out using the hosts list  
The redirection to `ad_server` in this case is not performed.

**Example:** preparing a list for the ad blocking in youtube:

```
cat <<EOF|url2dic /var/lib/dpi/adlistsni.bin  
pagead2.googlesyndication.com  
googleads.g.doubleclick.net  
googleads4.g.doubleclick.net  
pubads.g.doubleclick.net  
ad.doubleclick.net  
securepubads.g.doubleclick.net  
www.googleadservices.com  
EOF
```

**Example:** preparing a list to block popular ads:

```
adservice.google.com  
pagead2.googlesyndication.com  
ads.adfox.ru  
yabs.yandex.ru
```