

Содержание

Configuration of the SWu Interface	3
<i>Section "fast-epdg.swu.<connection-name>"</i>	3

Configuration of the SWu Interface

The parameters of the SWu interface are located in the file `/etc/fast-epdg.conf`

Section "fast-epdg.swu.<connection-name>"

Parameter	Description	Value
ike	IKEv2 protocol parameters	aes256-sha256-sha1-prfsha256-prfsha1-modp2048-modp1024!
esp	ESP protocol parameter	aes256-sha256-sha1-modp2048-modp1024!
leftauth	Gateway authentication method	eap
leftsubnet	Network serviced by the server	AAA.BBB.CCC.DDD/MM, 1111.2222.3333.4444.5555.6666.7777.8888/MM
rightauth	Client authentication method	eap-diameter
rightsourceip	Source of destination addresses for the client gateway	[%epdg][%diameter]
auto	Action on startup	start

Example:

```
conn epdg-eap-only
    ike=aes256-sha256-sha1-prfsha256-prfsha1-modp2048-modp1024!
    esp=aes256-sha256-sha1-modp2048-modp1024!
    leftauth=eap
    leftsubnet=10.0.0.0/8
    rightauth=eap-diameter
    rightsourceip=%epdg
    auto=start
```