

# Содержание

<b>Visualization and operational dashboards</b> .....	3
<i>Composition of dashboards</i> .....	3
<i>Design for Network Management Center (NOC)</i> .....	3



# Visualization and operational dashboards

## Composition of dashboards

Dashboard	Panel	Purpose
ePDG Overview	10	Service availability, connection success rate, number of active sessions, SWu/SWm/S2b status, interface bandwidth
IKEv2 Details	10	Mes per second by type, histogram of request duration, delay in the 95th percentile, error by type, IKE SA life cycle
GTP Details	8	GTPv2-C PGW messages, retransmissions, cause code errors, GTP-U (uplink/downlink) carriers
Diameter Details	7	Number of application messages (SWm/SWx/S6b), duration of requests, state of watchdog timer, distribution of result codes, chronology of connection states

## Design for Network Management Center (NOC)

flowchart TB  
NOC["NOC Dashboard Layer"] --> OVER["ePDG Overview  
KPI Summary"]  
NOC --> IKE["IKEv2 Details  
Drill-down"]  
NOC --> GTP["GTP Details  
Drill-down"]  
NOC --> DIA["Diameter Details  
Drill-down"]  
OVER --> OVER\_CLICK["Click attach KPI"]  
IKE --> IKE\_CLICK["Click session count"]  
GTP --> GTP\_CLICK["Click peer status"]  
DIA --> DIA\_CLICK["Click peer status"]

- **Auto Update:** 15-second update period
- **Adaptive color scheme:** green → yellow → red by threshold values
- **Drill-down:** from Overview to Detail to Component
- **Time-range selector:** 5 minutes to 30 days of history
- **JSON provisioning:** dashboards are automatically deployed