Содержание

| Update | | . 3 |
|--------|------------------|-----|
| Upd | e on CentOS 7 | . 3 |
| | ep-bv-step guide | . : |

Update



Instructions for updating on CentOS 7



Important!

Do not disable the standard firewall-cmd. The installation script uses it for self-configuration.

Do not use the command yum update fastor. Install or update using the script below.

If you have a large amount of incoming data, before updating it is recommended to:

1. Stop receivers:

fastor-stop

2. Wait for database insertions to finish:

clickhouse-client --query="select * from system.processes sp where
sp.query like 'insert into%'" | wc -l

3. Stop the database:

fastor-db-stop

4. Run the script fastor-rpm_install.sh:

source <(curl https://vasexperts.ru/install/fastor-rpm_install.sh)</pre>

Update on CentOS 7



Attention! This instruction is relevant **only for CentOS 7**. If you are using CentOS 8 or VEOS, ignore this instruction.

Due to certain limitations in ClickHouse, it was necessary to modify the dependencies of the fastor package. These changes ensure proper operation on CentOS 8 and VEOS, but may cause issues on CentOS 7 due to unresolved dependencies.

Step-by-step guide

Step 1. If you have large data volumes, before updating it is recommended to:

1. Stop receivers:

fastor-stop

2. Wait for database insertions to finish:

```
clickhouse-client --query="select * from system.processes sp where
sp.query like 'insert into%'" | wc -l
```

3. Stop the database:

fastor-db-stop

Step 2. Clear the yum cache:

yum clean all

Step 3. Run the installation script to update repositories:

source <(curl https://vasexperts.ru/install/fastor-rpm_install.sh)</pre>



The script will not complete successfully. The output will contain errors indicating that ClickHouse dependencies cannot be resolved.

Step 4. Check the output of the command:

```
rpm -qa | grep clickhouse
```

If the listed packages have different states:

```
clickhouse-client-23.4.2.11-1.x86_64
clickhouse-server-23.4.2.11-1.x86_64
clickhouse-common-static-23.4.2.11-1.x86_64
```

then remove these packages:

```
rpm -e fastor clickhouse-client-23.4.2.11-1.x86_64 clickhouse-server-23.4.2.11-1.x86_64 clickhouse-common-static-23.4.2.11-1.x86_64
```

Step 5. Update ClickHouse:

yum install clickhouse-common-static-24.2.2.71 clickhouse-server-24.2.2.71
clickhouse-client-24.2.2.71



The package versions must match those specified in the command.

Step 6. If the file /usr/lib/systemd/system/clickhouse-server.service contains the

parameter TimeoutStartSec=0, remove it. This affects ClickHouse startup on CentOS 7.

Then execute the command:

systemctl daemon-reload

Step 7. Install the latest version of fastor:

yum install fastor

Step 8. Restart ClickHouse in recovery mode:

fastor-db-restart-repair

Step 9. Update the database schema:

fastor-db-scheme

Step 10. Restore the .env file:

mv "/var/qoestor/backend/.env.rpmsave" "/var/qoestor/backend/.env"

Step 11. Restart receivers:

fastor-restart